



Certificate of Compliance

Certificate: 1757300

Master Contract: 232721

Project: 2583770

Date Issued: June 18, 2013

Issued to: WECO Optoelectronic Co., Ltd
36 Jinggangshan Rd
Medium and Small Industrial Zone
Economic & Technological Dev Area
Ningbo, Zhejiang 315800
China
Attention: Qiu ZhiWei

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only.



Kevin Chieu

Issued by: Kevin Chieu

"CSA B44.1/
ASME A17.5"

PRODUCTS

CLASS 2411 81 - ELEVATOR EQUIPMENT - Certified to US Standards

CLASS 2411 01 - ELEVATOR EQUIPMENT-Open and Enclosed - Elevator Electrical Equipment

Elevator Door Sensors:

Models:

WECO917-120

Electrical Ratings:

Input 120Vac, 57mA, 60 Hz, single phase

Output contact rated 120Vac/24Vdc, 1A



Certificate: 1757300

Master Contract: 232721

Project: 2583770

Date Issued: June 18, 2013

WECO957-120

Electrical Ratings:

Input 120Vac, 57mA, 60 Hz, single phase

Output contact rated 120Vac/24Vdc, 8A

WECO957-265

Electrical Ratings:

Input 85-265Vac 60Hz, single phase 57 mA or 24Vdc, 250mA

Output contact rated 120Vac/24Vdc, 8A

Notes:

1. The CSA investigation of this equipment covers electrical fire and shock hazards only, and does not include investigation of safety with respect to the Amendments of Elevator Safety Codes.
2. Final acceptance of this equipment when installed is subject to the jurisdiction of the local inspection authority.

APPLICABLE REQUIREMENTS

CAN/CSA-B44.1/ASME A17.5 - Elevator and Escalator Electrical Equipment.